
SHLAA Proforma

Site location

Site name	Dayshes Close	Site reference	BN018
Site address and post code	Dayshes Close, Gosport, PO13 0SL	Ward	Bridgemary North
Last updated	February 2019		I

Site details

Site description	Amenity green space
Topography	Flat and open
Existing land use	Open space
Surrounding land use and storey heights	Residential (two-storey)
Site size	0.23 ha
Development status	None





1:1000

Scale 1:1000 0 8 16 24 32 40 m

Key

	Unconstrained
	Site may be acceptable, subject to further study, infrastructure or mitigation works, or policy requirements
	Site is not suitable for allocation

Suitability

Issue	Suitability	Comments	Actions	
Local plan designations	Local plan designations			
Is the site within the Urban Area Boundary?	Yes			
Is the site allocated for development?	No	Site may still be appropriate for development.		
Is the site in the Strategic Gap?	No			
Is the site Protected Open Space?	Yes	Site assessed as medium value in the Open Space Monitoring Report.		
Is the site a Protected Employment Site?	No			
Does the site have a community, culture or leisure use?	No			
Is the site within a Defined Shopping Area?	No			

Issue	Suitability	Comments	Actions
Is the site currently tourist accommodation?	No		
Flooding			
Is the site in Flood Zone 2 or 3?	No		
Is the site predicted to be in Flood Zone 2 or 3 in 2115?	No		
Ecology			
Does the site contain any irreplaceable habitats (such as ancient woodland or ancient and veteran trees)?	No		
Does the site have any TPO trees?	No		
Does the site contain any protected species (bats, badgers, Great crested newts)?	No		
Does the site contain, or is within 400m of, a SAC or possible SAC, SPA or potential SPA, Ramsar site or proposed Ramsar site, a Brent Goose site or proposed Brent Goose site, or a biodiversity-offset site?	No		
Does the site contain, or is in proximity of, a SSSI or candidate SSSI?	No		
Does the site contain, or is in proximity of, a SINC, candidate SINC or a Local Green Space?	No		

Issue	Suitability	Comments	Actions
Access			
Can satisfactory vehicular access be achieved?	Yes		
Can safe pedestrian and cycle access be achieved?	Yes		
Can adequate emergency service and refuse truck be provided?	Yes		
Heritage			
Is the site within or is adjacent to a Conservation Area?	No		
Does the site contain, or is adjacent to, any Designated Heritage Assets (listed buildings, scheduled ancient monuments or registered parks and gardens)?	No		
Does the site contain, or is adjacent to, any locally listed buildings?	No		
Is the site likely to be of archaeological interest?	No		
Contamination			l
Is it likely the site could be contaminated?	No		

Issue	Suitability	Comments	Actions	
Amenity	menity			
Is development likely to have an adverse impact upon neighbouring amenity?	No			
Are neighbouring uses likely to have an adverse impact upon the amenity of future occupiers (industrial uses, major roads)?	No			
Services	Services			
Is the site serviced by utilities?	Yes			
Is the site within a Safeguarded Area (other than Southampton Airport Safeguarding Zone, which covers the whole borough)?	Yes	Site is within Fleetlands helipad and Daedalus aerodrome Safeguarded Zones. Restrictions on development may apply. Under Policy LP15 statutory bodies will be consulted.		

Availability

Issue	Availability	Comments	Actions
Does the site have multiple owners?	No	Land is owned by GBC.	
Is the site owned by a developer or is the owner willing to sell?	No		
Is it necessary to acquire land off-site to develop this site?	No		
Does the site have any legal issues (covenants, ransom strips)?	No		
Are there any on-site constraints (pylons, rights of way, easements)?	No		
Are there any existing tenancies or operations on site?	Yes	Boundary of the site is used for resident's car parking. Confirmation will be needed if they can be ended or relocated.	

Achievable

Issue	Achievability	Comments	Actions
Is there a realistic prospect that the site would come forward for development within the plan period?	No		
Are there any known abnormal development costs (contamination, heritage conservation, demolition etc)?	No		
Does the site require significant new infrastructure investment in order to be suitable for development?	No		

Conclusion

Suitable	Available	Achievable

Issue	Figure	Assumptions
Developable area	0.23 ha	Based on whole site
Local area density	Medium	
Development density	40dph	Density of developable area.
Capacity for dwellings	9	Based on broad density estimate.

Concluding comments	The open space forms an integral part of the streetscene and was intentionally designed to form part of the character of the area. Development would likely be unsuitable and lead to an unattractive built environment, with properties overlooking each other and limited amenity space for residents.
Concluding actions	No further action.