
SHLAA Proforma

Site location

Site name	Sealark Road Garage Site	Site reference	HD022
Site address and post code	Bittern Close, Gosport, PO12 4JY	Ward	Hardway
Last updated	April 2019		,

Site details

Site description	Car parking to north of Sealark Road serving neighbouring properties. Garages are situated to the southern border of the site.
Topography	Flat with hardstanding tarmac and concrete.
Existing land use	Garages and parking
Surrounding land use and storey heights	Residential one/two storeys. Open space with play area to the north of the site.
Site size	0.07 ha
Development status	None





Scale 1:1000 0 8 16 24 32 40 m

Key

Unconstrained
Site may be acceptable, subject to further study, infrastructure or mitigation works, or policy requirements
Site is not suitable for allocation

Suitability

Issue	Suitability	Comments	Actions	
Local plan designations				
Is the site within the Urban Area Boundary?	Yes			
Is the site allocated for development?	No	Site may still be appropriate for development.		
Is the site in the Strategic Gap?	No			
Is the site Protected Open Space?	No			
Is the site a Protected Employment Site?	No			
Does the site have a community, culture or leisure use?	No			
Is the site within a Defined Shopping Area?	No			

Issue	Suitability	Comments	Actions
Is the site currently tourist accommodation?	No		
Flooding			
Is the site in Flood Zone 2 or 3?	No		
Is the site predicted to be in Flood Zone 2 or 3 in 2115?	Yes	Slight amount of southern edge of car park is predicted to be in Flood zone 2 and 3 by 2115. A Strategic Flood Risk Assessment and potential mitigation will be required.	
Ecology			
Does the site contain any irreplaceable habitats (such as ancient woodland or ancient and veteran trees)?	No		
Does the site have any TPO trees?	No	Blanket TPO covers the area although no trees are within this SHLAA site boundary.	
Does the site contain any protected species (bats, badgers, Great crested newts)?	No		
Does the site contain, or is within 400m of, a SAC or possible SAC, SPA or potential SPA, Ramsar site or proposed Ramsar site, a Brent Goose site or proposed Brent Goose site, or a	Yes	Site within 400m of Grove Road Recreation Ground (Primary Network) Brent Goose Site. Also within	

Issue	Suitability	Comments	Actions
biodiversity-offset site?		400m of Portsmouth Harbour SPA and Ramsar. An ecology survey may be required. Development will not be permitted unless no adverse impact upon the habitat can be demonstrated.	
Does the site contain, or is in proximity of, a SSSI or candidate SSSI?	Yes	Site within 400m of Portsmouth Harbour SSSI. An ecology survey may be required. Development will not be permitted unless no adverse impact upon the habitat can be demonstrated.	
Does the site contain, or is in proximity of, a SINC, candidate SINC or a Local Green Space?	No		
Access			
Can satisfactory vehicular access be achieved?	Yes		
Can safe pedestrian and cycle access be achieved?	Yes		

Issue	Suitability	Comments	Actions
Can adequate emergency service and refuse truck access be provided?	Yes		
Heritage			
Is the site within or is adjacent to a Conservation Area?	No		
Does the site contain, or is adjacent to, any Designated Heritage Assets (listed buildings, scheduled ancient monuments or registered parks and gardens)?	No		
Does the site contain, or is adjacent to, any locally listed buildings?	No		
Is the site likely to be of archaeological interest?	No		
Contamination			
Is it likely the site could be contaminated?	Yes	Site is in 20m buffer area. A Contaminated Land Assessment and potential mitigation will be required.	

Issue	Suitability	Comments	Actions
Amenity			
Is development likely to have an adverse impact upon neighbouring amenity?	No		
Are neighbouring uses likely to have an adverse impact upon the amenity of future occupiers (industrial uses, major roads)?	No		
Services			
Is the site likely to be serviced by utilities?	Yes		
Is the site within a Safeguarded Area (other than Southampton Airport Safeguarding Zone, which covers the whole borough)?	Yes	Site is in safeguarded area for aerodrome at Daedalus. Statutory bodies will be consulted. Restrictions may apply.	

Availability

Issue	Availability	Comments	Actions
Does the site have multiple owners?	Yes	The immediate part of the access road from the south is owned by HCC. The remainder of the site is unknown.	
Is the site owned by a developer or is the owner willing to sell?	Unknown		
Is it necessary to acquire land off-site to develop this site?	No		
Does the site have any legal issues (covenants, ransom strips)?	No		
Are there any on-site constraints (pylons, rights of way, easements)?	No		
Are there any existing tenancies or operations on site?	Yes	Existing garages appear to be occupied. Confirmation will be needed if they can be ended or relocated.	

Achievable

Issue	Achievability	Comments	Actions
Is there a realistic prospect that the site would come forward for development within the plan period?	Unknown		
Are there any known abnormal development costs (contamination, heritage conservation, demolition etc)?	Yes	Demolition of existing garages. Funding or planning gain may be needed to make the site viable.	
Does the site require significant new infrastructure investment in order to be suitable for development?	No		

Conclusion

Suitable	Available	Achievable

Issue	Figure	Assumptions
Developable area	0.07 ha	Based on whole site
Local area density	50/60dph	Medium/High
Development density	65dph	Based on whole site
Capacity for dwellings	4	Based on visual assessment and density calculation.

Concluding comments	Potential for row of terraced dwellings mirroring adjacent building designs although parking would have to be considered and potential complexities of land/garage ownership. Given that the parking would need to be replaced and there is limited scope to do so, the site is considered too small to accommodate five or more dwellings.
Concluding actions	No further action.